

	
NETHERLANDS AERONAUTICAL INFORMATION SERVICES	
Pre-Flight Information Bulletin: AERODROME	VALIDITY (UTC): 14 MAY 2026 05:00 - 15 MAY 2026 05:00
Id: EHAM2605140031	
Profile: BULLETIN NNAC	Schedule: Daily 05:00 UTC summertime
Service Type: FULL	
Date: 14 MAY 2026 Time: 05:00 UTC	Height Limits: Lower: 000 Upper: 999
Flight Rules: IFR/VFR	
Contents: Aerodromes, including miscellaneous information	
Briefing Type: International, National, Military	
Aerodromes: EHAL EHAM EHTE EHBK EHSE EHBD EHDR EHEH EHTW EHGG EHHV EHHO EHLE EHMZ EHMM EHRD EHST EHOW EHTX	
Legend: + NOTAM not older than 250 days * Different from original - Beginning of the message	

EHAL - AMELAND/AMELAND

- + TWY B CLSD.
FROM: 12 MAY 2026 11:07 **TO:** 16 JUN 2026 17:00 EST B0611/26
- + RWY 08 AND RWY 26 THR DISPLACED.
NEW DECLARED DISTANCES:
- RWY 08: TORA 799M TODA 860M ASDA 840M LDA 799M,
- RWY 26: TORA 799M TODA 860M ASDA 860M LDA 799M.
ICAO CLASSIFICATION REFERENCE CODE 1.
FROM: 12 MAY 2026 11:12 **TO:** 16 JUN 2026 17:00 EST B0612/26

EHAM - AMSTERDAM/SCHIPHOL

- + TWY A BTN TWY A28 AND TWY A29 ACFT WITH WINGSPAN MORE THAN 69M
MUST BE GUIDED BY MARSHALLER.
FROM: 17 DEC 2025 23:46 **TO:** 31 DEC 2026 23:00 EST A3004/25
- + TURN FROM TWY A EASTBOUND TO TWY A15 AND TURN FROM TWY A15 TO TWY
A WESTBOUND PROHIBITED FOR ACFT WITH OUTER MAIN GEAR WHEEL SPAN OF
9M OR MORE.
FROM: 28 FEB 2026 08:00 **TO:** 28 MAY 2026 08:00 EST A0529/26
- + CRANE ERECTED AT PSN 521837.5N 0045632.0E.
9860M BEFORE THR RWY 27 AND 1340M LEFT OF EXTD RCL
516FT AMSL, MARKED AND LGTD.
FROM: 11 MAR 2026 15:32 **TO:** 11 JUN 2026 15:00 EST A0621/26
- + CHANGE OF OPERATING MINIMA OCA(OCH) RWY 27 DUE TO CRANE.
LOC ACFT CAT A-DL INCREASED TO 762(772).
LNAV ACFT CAT A-DL INCREASED TO 631(642).
REF AIP AD 2.EHAM IAC RNP RWY 27 AND AD 2.EHAM IAC LOC RWY 27.
FROM: 11 MAR 2026 15:40 **TO:** 11 JUN 2026 15:00 A0623/26

+

RWY 06 SID ARNEM 3R SERIAL NR 002 COLUMN SPEED READ - INSTEAD OF
-200. REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.5.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0413/26

+ RWY 06 SID BERGI 3R SERIAL NR 001 COLUMN SPEED READ -220 INSTEAD
OF -. SERIAL NR 002 COLUMN SPEED READ - INSTEAD OF -220.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.5.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0414/26

+ RWY 06 SID RENDI 2R SERIAL NR 003 COLUMN SPEED READ - INSTEAD
OF -220.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.5.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0415/26

+ RWY 06 SID LOPIK 2R
SERIAL NR 002 COLUMN SPEED READ -220 INSTEAD OF -.
SERIAL NR 003 COLUMN SPEED READ - INSTEAD OF -220.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.5.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0416/26

+ RWY 06 SID ANDIK 2T
SERIAL NR 001 COLUMN SPEED READ -220 INSTEAD OF -.
SERIAL NR 002 COLUMN SPEED READ - INSTEAD OF -220.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.6.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0417/26

+ RWY 06 SID ARNEM 3T
SERIAL NR 002 COLUMN SPEED READ -220 INSTEAD OF -.
SERIAL NR 003 COLUMN SPEED READ - INSTEAD OF -220.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.6.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0418/26

+ RWY 06 SID KUDAD 2T
SERIAL NR 003 COLUMN SPEED READ - INSTEAD OF -220.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.6.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0419/26

+ RWY 06 SID RENDI 2T
SERIAL NR 003 COLUMN SPEED READ - INSTEAD OF -220.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.6.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0420/26

+ RWY 09 SID BERGI 3N
SERIAL NR 003 COLUMN ALTITUDE READ +2500 INSTEAD OF -.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.7.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0421/26

+ RWY 36L SID VOLLA 2Z
SERIAL NR 002 COLUMN PATH DESCRIPTOR READ CF INSTEAD OF TF.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.15.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0422/26

+ RWY 18C SID BETUS 6Y, DENAG 7X, WISPA 4X
SERIAL NR 001 COLUMN WPT IDENT READ LISOH INSTEAD OF AM080.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.8.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0425/26

+ RWY 27 SID BERGI 2P
SERIAL NR 002 COLUMN SPEED READ - INSTEAD OF -220.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.12.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0431/26

+ RWY 18L SID KUDAD 3E
SERIAL NR 002 COLUMN WPT IDENT READ OKUDO INSTEAD OF AM073.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.9.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0432/26

+ RWY 18L SID LOPIK 5E
SERIAL NR 002 COLUMN WPT IDENT READ OGOSU INSTEAD OF AM029.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.9.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0433/26

+ RWY 24 SID ANDIK 2S (ANDI2S AND AND2SY), KUDAD 3S (KUD3SY), LOPIK 3S (LOP3SY), RENDI 2S (REND2S AND REN2SY) AND SPY 4K (SPY4K)
SERIAL NR 001 COLUMN ALTITUDE READ - INSTEAD OF +500.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.11.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0434/26

+ RWY 36L SID RENDI 2Z.
RENUMBER SERIAL NR 007 TO SERIAL NR 008 AND CHANGE COLUMN DISTANCE TO READ 7.9 INSTEAD OF 12.9.
INSERT A NEW SERIAL NR 007 WITH FOLLOWING COLUMN DATA:
PATH DESCRIPTOR READ TF, WPT IDENT READ RENDI, COURSE/TRACK MAG/(T) READ 123/(125.4), DISTANCE READ 5.0.
OTHER COLUMNS ARE EQUAL TO OTHER SERIAL NRS.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.15.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0438/26

+ RWY 18L SID ARNEM 5E, RENDI 3E.
SERIAL NR 001 COLUMN WPT IDENT READ OTNES INSTEAD OF AM037.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.9.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0439/26

+ RWY 36L SID LOPIK 4V, ARINC DESIGNATOR READ LOPI4V INSTEAD OF LOPI5V.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0448/26

+ RWY 18L SID ANDIK 4E.
SERIAL NR 001 COLUMN WPT IDENT READ OTNES INSTEAD OF AM037.
RENUMBER SERIAL NR 002 TO SERIAL NR 003 AND CHANGE COLUMN DISTANCE TO READ 4.8 INSTEAD OF 7.6 AND CHANGE COLUMN SPEED TO READ - INSTEAD OF -220.
INSERT A NEW SERIAL NR 002 WITH FOLLOWING COLUMN DATA:
PATH DESCRIPTOR READ TF, WPT IDENT READ AM047, COURSE/TRACK MAG/(T) READ 090/(092.0), DISTANCE READ 2.8, SPEED READ -220.
OTHER COLUMNS ARE EQUAL TO OTHER SERIAL NRS. RENUMBER ALL SUBSEQUENT SERIAL NRS IN ORDER.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHAM AD 2.22 PARA 1.5.9.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0511/26

+ CONSTRUCTION PHASE 26.0 IN PROGRESS. REF AIP SUP 30/2025.
FROM: 25 MAR 2026 09:36 **TO:** 29 JUN 2026 05:00 A0722/26

+ CRANE ERECTED BTN PSN 521914.7N 0044616.6E AND 521912.8N 0044607.8E, BTN 1729M AND 1899M BEYOND THR 27 AND BTN 360M AND 311M RIGHT OF RCL. 109FT AMSL, MARKED AND LGTD.
FROM: 30 MAR 2026 04:30 **TO:** 29 MAY 2026 15:30 A0743/26
SCHEDULE: MON-FRI 0430-1530

+ CHANGE OF OPERATING MINIMA OCA(OCH) RWY 27 DUE TO CRANE.
ILS CAT I CAT A-DL INCREASED TO:
CAT A 154 (166), CAT B 166 (179),
CAT C 175 (187), CAT D 185 (197),
CAT DL 185 (197).
REF AIP EHAM AD 2.24 IAC ILS II AND III OR LOC RWY 27.
FROM: 30 MAR 2026 04:30 **TO:** 29 MAY 2026 15:30 A0744/26
SCHEDULE: MON-FRI 0430-1530

+ CHANGE OF OPERATING MINIMA OCA(OCH) RWY 04 DUE TO CRANE.
RNP LPV CAT A-D INCREASED TO:
CAT A 254 (267), CAT B 267 (280),
CAT C 275 (288), CAT D 285 (298).
REF AIP AD2. EHAM IAC RNP RWY 04.
FROM: 30 MAR 2026 05:00 **TO:** 29 MAY 2026 15:00 A0751/26
SCHEDULE: MON-FRI 0500-1500

+ CRANE ERECTED AT PSN 521804.8N 0044737.4E. 541M BEYOND THR 04 AND 270M RIGHT OF RCL, 138FT AMSL, MARKED AND LGTD.
FROM: 30 MAR 2026 05:00 **TO:** 29 MAY 2026 15:00 A0752/26
SCHEDULE: MON-FRI 0500-1500

+ CHANGE OF OPERATING MINIMA OCA(OCH) RWY 22 DUE TO CRANE.
ILS CAT I ACFT CAT A-D INCREASED TO:

CAT A 184 (198), CAT B 196 (210),
CAT C 205 (218), CAT D 215 (228).
REF AIP AD 2 EHAM IAC ILS OR LOC RWY 22.

FROM: 30 MAR 2026 05:00 **TO:** 29 MAY 2026 15:00
SCHEDULE: MON-FRI 0500-1500

A0753/26

+ ACFT TOWED BY A YELLOW-COLOURED TOW TRUCK EQUIPPED WITH ANTI-COLLISION LIGHTS IS UNDER THE PILOTS COMMAND AND REFERRED TO BY ATC AS TAXITOW. RIGHT-OF-WAY IN ACCORDANCE WITH TAXIING ACFT IS APPLICABLE.

FROM: 31 MAR 2026 09:28 **TO:** 30 JUN 2026 12:00 EST

A0765/26

+ CRANE ERECTED AT PSN 522127.6N 0043914.6E.
TRUE BEARING FROM ARP 307DEG AND DISTANCE 9210M.
342FT AMSL, MARKED AND LGTD, OCA/H NOT AFFECTED.
REF AIP EHAM AD 2.10.

FROM: 20 APR 2026 00:00 **TO:** PERM

A0860/26

+ CRANE ERECTED AT PSN 521628N 0044104E. TRUE BEARING FROM ARP 235 DEG AND DISTANCE 6600M. 158FT AMSL, MARKED AND LGTD. OCA/H NOT AFFECTED.

FROM: 21 APR 2026 05:00 **TO:** 19 JUN 2026 15:00

A0894/26

+ INCREASED BIRD ACTIVITY ON AND AROUND AD. AN INCREASED POTENTIAL FOR BIRD STRIKES EXISTS FOR ALL INBD AND OUBD ACFT.

FROM: 30 APR 2026 11:03 **TO:** 30 JUL 2026 12:00 EST

A0990/26

+ RWY DESIGNATOR MARKING ON TWY W9 SHOULD READ 36C-18C.

FROM: 30 APR 2026 15:03 **TO:** 30 JUL 2026 14:30 EST

A0995/26

+ CL LIGHTS TWY A25 U/S. MARSHALLER GUIDANCE REQUIRED IF RVR 350M OR LESS.

FROM: 01 MAY 2026 13:00 **TO:** 03 JUL 2026 13:00

A0928/26

+ TWY A13 CLSD BTN AIRCRAFT STAND E18 AND TWY A.

FROM: 04 MAY 2026 05:00 **TO:** 05 JUN 2026 15:00

A0887/26

+ TWY A BTN TWY A20 AND TWY A25 CLSD.

FROM: 04 MAY 2026 05:00 **TO:** 01 JUN 2026 07:00

A0925/26

+ TWY B BTN TWY A20 AND TWY A21 + TWY B BTN TWY A22 AND TWY A25, MARSHALLER GUIDANCE REQUIRED IF WINGSPAN MORE THAN 69M.

FROM: 04 MAY 2026 05:00 **TO:** 01 JUN 2026 07:00

A0926/26

+ TWY B BTN TWY A21 AND TWY A22, MARSHALLER GUIDANCE REQUIRED IF WINGSPAN MORE THAN 65M.

FROM: 04 MAY 2026 05:00 **TO:** 01 JUN 2026 07:00

A0927/26

+ CHANGE OF OPERATING MINIMA OCA (OCH) RWY 04 LPV ACFT
CAT A INCREASED TO 364 (377)
CAT B INCREASED TO 376 (389)
CAT C INCREASED TO 395 (409)
CAT D INCREASED TO 423 (436)
REF AIP NETHERLANDS AD 2 EHAM IAC RNP RWY 04.

FROM: 07 MAY 2026 16:00 **TO:** 06 AUG 2026 23:59 EST

A1057/26

+ CHANGE OF OPERATING MINIMA OCA (OCH) RWY 09 LPV ACFT
CAT A INCREASED TO 345 (357)
CAT B INCREASED TO 357 (369)
CAT C INCREASED TO 376 (388)
CAT D-DL INCREASED TO 403 (415)
REF AIP NETHERLANDS AD 2 EHAM IAC RNP RWY 09.

FROM: 07 MAY 2026 18:00 **TO:** 06 AUG 2026 23:59 EST

A1056/26

+ CHANGE OF OPERATING MINIMA OCA (OCH) RWY 24 LPV ACFT
CAT A INCREASED TO 363 (374)
CAT B INCREASED TO 375 (386)
CAT C INCREASED TO 394 (405)
CAT D-DL INCREASED TO 421 (432)
REF AIP NETHERLANDS AD 2 EHAM IAC RNP RWY 24.

FROM: 07 MAY 2026 18:00 **TO:** 06 AUG 2026 23:59 EST

A1058/26

+ ILS RWY 36C DOWNGRADED TO I/C/I (SUPPORTS CAT I OPERATIONS).
FROM: 12 MAY 2026 12:00 **TO:** 29 MAY 2026 08:00 EST A1097/26

EHTE - DEVENTER/TEUGE

+ IFR APPROACH PROCEDURE RNP RWY 26 NOT AVBL.
FROM: 30 MAR 2026 11:53 **TO:** 30 JUN 2026 12:00 EST B0451/26

+ PPR FOR PROPELLER OR TURBOPROP AIRCRAFT WITH MTOW 6000KG OR
HEAVIER AND FOR ALL JET AIRCRAFT REGARDLESS OF THEIR WEIGHT.
FROM: 30 MAR 2026 11:57 **TO:** 30 JUN 2026 12:00 EST B0452/26

EHBK - MAASTRICHT/MAASTRICHT AACHEN

+ VECTORS TO NDB (FINAL) RWY 03 AND VECTORS TO LOC ONLY (FINAL) RWY
03 NOT AVAILABLE.
FROM: 04 MAR 2026 07:50 **TO:** 04 JUN 2026 12:00 EST A0579/26

+ RWY 21 SID LNO 3B SERIAL NR 001 COLUMN PATH DESCRIPTOR READ CF
INSTEAD OF CA.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHBK AD 2.22 PARA 1.4.4
FROM: 19 MAR 2026 00:00 **TO:** PERM A0412/26

+ LARGE CONCENTRATION OF BIRDS ON MANOEUVRING AREA AND VICINITY OF
AD DURING SS AND SR.
FROM: 29 MAR 2026 13:31 **TO:** 30 JUN 2026 16:00 EST A0756/26

+ CAT8/9 SCHEDULED PASSENGER FLIGHTS NOT ALLOWED.
UNPLANNED DIVERSION OF CAT8/9 PASSENGER FLIGHTS ARE EXEMPTED.
REF EHBK AIP AD 2.6.
FROM: 31 MAR 2026 09:48 **TO:** 30 JUN 2026 22:00 EST A0766/26

EHSE - BREDA/SEPPE

+ ARRIVING TRAFFIC CONTACT SEPPE RADIO MINIMUM 5NM OUT FROM EHSE
AND DEPARTING TRAFFIC BEFORE TAXIING.
REF AIP EHSE AD 2.22 PARA 2.
FROM: 20 MAR 2026 11:11 **TO:** PERM B0399/26

+ HOLDING WITHIN THE CIRCUIT NOT ALLOWED. FOR SPACING CLIMB ABOVE
1030FT AMSL AND REJOIN VIA ZULU.
REF AIP EHSE AD 2.22.
FROM: 30 MAR 2026 09:08 **TO:** PERM B0449/26

+ GLIDERS PPR.
REF AIP EHSE AD 2.2.
FROM: 30 MAR 2026 09:09 **TO:** PERM B0450/26

EHBD - WEERT/BUDEL

+ REVISED OPENING HOURS MON-TUE 0800-1630 (0700-1530).
FROM: 09 MAR 2026 16:30 **TO:** 09 JUN 2026 15:30 B0294/26

EHDR - DRACHTEN/DRACHTEN

- + SIGNAL AREA: RIGHT-HAND CIRCUIT ARROW N/A.
FROM: 16 MAR 2026 14:54 **TO:** 30 JUN 2026 10:00 EST B0379/26
- + TWY CLSD DUE TO WIP.
FROM: 24 APR 2026 11:29 **TO:** 30 JUL 2026 17:00 B0537/26

EHEH - EINDHOVEN/EINDHOVEN

- + RWY 21 SID OSGOS 4K PATH DESCRIPTOR, SERIAL NR 002 READ CF INSTEAD OF TF. REF AIP AIRAC AMDT 02/2026 WEF 19 FEB 2026, EHEH AD 2.22 PARA 1.4.5.
FROM: 19 FEB 2026 00:00 **TO:** PERM A0390/26
- + RWY 03 SID LNO 5J WPT IDENT, SERIAL NR 007 READ LNO INSTEAD OF OLNO. REF AIP AIRAC AMDT 02/2026 WEF 19 FEB 2026, EHEH AD 2.22 PARA 1.4.4.
FROM: 19 FEB 2026 00:00 **TO:** PERM A0392/26
- + RWY 21 SID LNO 6K WPT IDENT, SERIAL NR 007 READ LNO INSTEAD OF OLNO. REF AIP AIRAC AMDT 02/2026 WEF 19 FEB 2026, EHEH AD 2.22 PARA 1.4.5.
FROM: 19 FEB 2026 00:00 **TO:** PERM A0393/26
- + CRANE ERECTED AT EHEH PSN 512726N 0052326E (EHEH ARP RDL055 0.74NM) ELEVATION 238FT AMSL (HEIGHT 164FT AGL). ICAO MARKED AND LIGHTED.
FROM: 23 FEB 2026 09:20 **TO:** 22 MAY 2026 23:59 EST M0864/26
- + IN CASE OF NO RADIO CONTACT WITH EINDHOVEN ARRIVAL ON FREQ 124.530MHZ 132.530MHZ OR 265.975MHZ, CONTACT DUTCH MIL ON VHF FREQ 125.930MHZ OR UHF FREQ 336.325MHZ.
FROM: 02 MAR 2026 12:36 **TO:** 01 JUN 2026 23:59 EST M0981/26
- + ADS-B DATA FOR ECRA (EUROPEAN CONNECTED REGIONAL AIRPORTS PROGRAMME) OPERATIONS. 1.1.IN ORDER TO COOPERATE WITH ADS-B RECEIVER USED BY AIRPORT OPERATOR AND EUROCONTROL FOR USE OF THE ECRA PROGRAMME AT EINDHOVEN AIRPORT,PILOTS OF MODE S EQUIPPED ACFT WITH ADS-B FUNCTIONALITIES WHEN OPERATING ON THE GROUND SHALL: A)SELECT AUTO MODE AND THE ASSIGNED MODE A CODE OR B)IF AUTOMODE IS NOT AVAILABLE, SELECT ON (E.G.XPDR) AND THE ASSIGNED MODE A CODE. -FROM THE REQUEST FOR TOWER PUSH-BACK OR TAXI,WHICHEVER IS EARLIER -AFTER LANDING,CONTINUOUSLY UNTIL THE ACFT IS FULLY PARKED IN ITS STAND. -WHEN THE ACFT IS FULLY PARKED, FLT CREW SHALL SELECT STBY.
1.1.2.WHENEVER THE ACFT IS CAPABLE OF REPORTING ACFT IDENTIFICATION (I.E.CALLSIGN USED IN FLT), THIS SHOULD BE ENTERED (THROUGH THE FMS OR THE TRANSPONDER CONTROL PANEL) AT THE TIME OF THE REQUEST FOR TOWED PUSH-BACK OR TAXI, WHICHEVER IS EARLIER. 1.1.3.AIR CREW MUST USE THE ICAO DEFINED FORMAT TO ENTER THE ACFT IDENTIFICATION.
1.1.4.TO ENSURE THAT THE PERFORMANCE OF SYSTEMS BASED ON SSR FREQ (INCLUDING AIRBORNE TCAS AND SSR RADARS) IS NOT COMPROMISED, TCAS SHOULD NOT BE SELECTED BEFORE RECEIVING CLEARANCE TO LINE UP, AND SHOULD BE DESELECTED AFTER VACATING THE RWY.)
FROM: 03 MAR 2026 10:05 **TO:** 03 JUN 2026 12:00 EST A0574/26
- + TEMPORARY RESTRICTED AREA 'TGB GEVARENZONE VliegBasis Eindhoven' ACTIVATED FOR COUNTER-UAS ACTIVITIES WITH LIVE AMMUNITION. AREA: PSN 512700N 0052228E RADIUS 2NM BTN GND/2500FT AMSL. AREA PROHIBITED. COORDINATED FLIGHTS ARE EXEMPTED AFTER PRIOR PERMISSION FROM LOCAL ATC OR LOCAL OPS COORDINATION CENTRE.
LOWER: GND
UPPER: 2500FT AMSL
FROM: 04 MAR 2026 13:44 **TO:** 03 JUN 2026 23:59 EST M1032/26
- + CHANGE OF OPERATING MINIMA OCA(OCH) RNP Z RWY 21 DUE TO CRANE. LNAV ACFT CAT A-D INCREASED TO 520(453)
LNAV/VNAV CAT A-D INCREASED TO:
CAT A 401(334), CAT B 413(346),
CAT C 421(354), CAT D 432(365)
REF MIL AIP EHEH 2-32.
FROM: 25 MAR 2026 08:50 **TO:** 24 JUN 2026 23:59 EST M1385/26

+ CHANGE OF OPERATING MINIMA OCA(OCH) TACAN AND HI-TACAN RWY 21 DUE TO CRANE.
TACAN ACFT CAT A-E INCREASED TO 520(453).
REF MILAIP EHEH AD 2-30/31
FROM: 25 MAR 2026 08:51 **TO:** 24 JUN 2026 23:59 EST M1386/26

+ CHANGE OF OPERATING MINIMA OCA(OCH) RNP Y RWY 21 DUE TO CRANE.
LNAV ACFT CAT A-D INCREASED TO 520(453).
LNAV/VNAV CAT A-D INCREASED TO:
CAT A 401(334), CAT B 413(346),
CAT C 421(354), CAT D 432(365)
REF AIP AD 2.EHEH 2.24 IAC CDO APPROACHES RNP Y RWY 21.
FROM: 25 MAR 2026 12:19 **TO:** 24 JUN 2026 09:00 EST A0727/26

+ CRANE ERECTED AT EHEH PSN 512728N 0052329E (EHEH ARP RDL054 0.75NM)
ELEVATION 226FT AMSL (HEIGHT 154FT AGL). ICAO MARKED.
FROM: 26 MAR 2026 00:00 **TO:** 25 JUN 2026 23:59 EST M1387/26

+ UAS FLYING WILL TAKE PLACE FROM TILBURG TO BOXTEL WITHIN AREA
0.2NM EITHER SIDE OF A LINE: 513555N 0050555E - 513613N 0050635E -
513554N 0050815E - 513605N 0050927E - 513544N 0051121E - 513537N
0051359E - 513540N 0051552E - 513521N 0051646E - 513445N 0051723E -
513342N 0051948E. REQ TO AVOID AREA.
LOWER: GND
UPPER: 400FT AGL
FROM: 07 APR 2026 06:48 **TO:** 30 JUN 2026 16:00 M1595/26
SCHEDULE: MON-FRI 0600-1600

+ UAS FLYING WILL TAKE PLACE AT BOXTEL PSN 513348N 0051828E RADIUS 0.5NM. REQ TO AVOID AREA.
LOWER: GND
UPPER: 400FT AGL
FROM: 07 APR 2026 06:49 **TO:** 30 JUN 2026 16:00 M1596/26
SCHEDULE: MON-FRI 0600-1600

+ UAS FLYING WILL TAKE PLACE AT EINDHOVEN.
AREA: 512634N 0052857E - 512633N 0052849E - 512632N 0052849E -
512632N 0052846E - 512633N 0052846E - 512632N 0052839E - 512635N
0052838E - 512645N 0052953E - 512643N 0053007E - 512639N 0053009E -
512632N 0052857E - BACK TO 512634N 0052857E. REQ TO AVOID AREA.
LOWER: GND
UPPER: 150FT AGL
FROM: 04 MAY 2026 07:00 **TO:** 31 MAY 2026 20:00 M1060/26
SCHEDULE: DAILY 0700-2000

+ UAS FLYING WILL TAKE PLACE AT VELDHOVEN PSN 512508N 0052531E
RADIUS 450M, REQ TO AVOID AREA.
LOWER: GND
UPPER: 200FT AGL
FROM: 07 MAY 2026 22:00 **TO:** 30 JUN 2026 22:00 M2198/26

+ UAS FLYING WILL TAKE PLACE AT SINT-OEDENRODE PSN 513308N 0052605E
RADIUS 5000M, REQ TO AVOID AREA.
LOWER: GND
UPPER: 196FT AGL
FROM: 09 MAY 2026 07:00 **TO:** 27 MAY 2026 15:00 M2326/26
SCHEDULE: DAILY 0700-1500

+ EINDHOVEN TACAN EHV CH119X OUT OF SERVICE.
FROM: 11 MAY 2026 05:00 **TO:** 15 MAY 2026 15:00 M1790/26

+ UAS FLYING WILL TAKE PLACE AT HOOGELOON PSN 512338N 0051557E
RADIUS 400M, REQ TO AVOID AREA.
LOWER: GND
UPPER: 100FT AGL
FROM: 11 MAY 2026 06:00 **TO:** 20 MAY 2026 14:00 M2321/26
SCHEDULE: DAILY 0600-1400

EHTW - ENSCHEDE/TWENTE

No information received or matching the query

EHGG - GRONINGEN/EELDE

- + HELICOPTER TRAINING FLIGHTS NOT ALLOWED. HEMS, POLICE AND MILITARY FLIGHTS EXEMPTED.
FROM: 25 MAR 2026 05:30 **TO:** 25 JUN 2026 05:30 A0716/26

- + REVISED OPENING HOURS AD: SAT-SUN, HOL 0530-1900.
TRAFFIC BTN 1900-2000 PPR 24H PN BY AIRPORT AUTHORITY.
FROM: 29 MAR 2026 05:30 **TO:** 29 JUN 2026 19:00 EST A0755/26

- + MIL ACFT HAVE TO AVOID OVERFLYING OF NOORDLAREN DUE TO BREEDING BIRDS AT PSN 530820N 0063943E RADIUS 0.5NM.
LOWER: GND
UPPER: 1000FT AGL
FROM: 21 APR 2026 00:00 **TO:** 31 JUL 2026 21:59 M1954/26

- + MIL ACFT HAVE TO AVOID OVERFLYING OF FOCHTELOERVEEN DUE TO BREEDING BIRDS AT PSN 530006N 0062400E RADIUS 2NM.
LOWER: GND
UPPER: 1000FT AGL
FROM: 21 APR 2026 00:00 **TO:** 31 JUL 2026 21:59 M1957/26

- + CHANGE OF OPERATING MINIMA OCA (OCH) RWY 05 LPV ACFT
CAT A INCREASED TO 320 (307)
CAT B INCREASED TO 320 (307)
CAT C INCREASED TO 320 (307)
CAT D INCREASED TO 320 (307)
REF AIP NETHERLANDS AD 2 EHGG IAC RNP RWY 05.
FROM: 07 MAY 2026 18:00 **TO:** 06 AUG 2026 23:59 EST A1055/26

- + CHANGE OF OPERATING MINIMA OCA (OCH) RWY 23 LPV ACFT
CAT A INCREASED TO 280 (268)
CAT B INCREASED TO 290 (278)
CAT C INCREASED TO 300 (288)
CAT D INCREASED TO 310 (298)
REF AIP NETHERLANDS AD 2 EHGG IAC RNP RWY 23.
FROM: 07 MAY 2026 18:00 **TO:** 06 AUG 2026 23:59 EST A1060/26

EHHV - HILVERSUM/HILVERSUM

No information received or matching the query

EHHO - HOOGEVEEN/HOOGEVEEN

No information received or matching the query

EHLE - LELYSTAD/LELYSTAD

- + EXIT CTR VIA BRAVO DEP. MIKE DEP NOT AVBL, EXCEPT FOR COM-FAILURE PROCEDURES.
REF AIP EHLE AD 2.22 PARA 4.2 AND 4.3 AND AD 2.EHLE-VAC.1.
FROM: 05 MAR 2026 08:54 **TO:** 05 JUN 2026 09:00 EST A0585/26

+

ENTER CTR VIA MIKE ARR.

BRAVO ARR NOT AVBL (SPECIAL VFR EXEMPTED).

REF AIP EHLE AD 2.22 PARA 4.2 AND 4.3 AND AD 2.EHLE-VAC.1.

FROM: 05 MAR 2026 08:54 **TO:** 05 JUN 2026 09:00 EST

A0586/26

+ IFR OPS ONLY AVBL MON-FRI 0800-1600 (0700-1500), EXC HOL.
ALL IFR FLIGHTS 24H PPR VIA OPERATIONS(AT)LELYSTADAIRPORT.NL.
ACTIVE RAD RESTRICTIONS STILL APPLY.

FROM: 04 APR 2026 05:00 **TO:** 03 JUL 2026 20:00 EST

A0796/26

+ UAS ACT WI 325M RADIUS CENTRED ON 522136N 0053044E (ZEEWOLDE).

LOWER: GND

UPPER: 200FT AMSL

FROM: 06 APR 2026 20:00 **TO:** 30 JUN 2026 05:00

A0802/26

SCHEDULE: 2000-0500

+ CHANGE OF OPERATING MINIMA OCA(OCH) RWY 05 DUE TO MOBILE CRANE.
ILS CAT I CAT A-D INCREASED TO: CAT A 254 (267), CAT B 266 (279), CAT
C 274 (287) , CAT D 284 (297). LOC CAT A-D INCREASED TO: 400 (412).
RNP LPV CAT A-D INCREASED TO: CAT A 290 (303), CAT B 303 (316), CAT C
311 (324) , CAT D 321 (334). RNP LNAV/VNAV CAT D INCREASED TO: CAT D
307 (320). RNP LNAV CAT C-D INCREASED TO: CAT C 390 (402), CAT D 410
(422). REF AIP AD.2 EHLE 13 IAC ILS OR LOC RWY 05 AND IAC RNP RWY 05.

FROM: 11 APR 2026 13:47 **TO:** 11 JUL 2026 20:00 EST

A0856/26

+ RWY 05 AND 23, DEVIATION FROM SID STRICTLY PROHIBITED UP TO 500FT
AMSL DUE TO MOBILE CRANE BTN PSN 522654.4N 0053040.1E AND 522656.6N
0053044.1E.

FROM: 11 APR 2026 13:47 **TO:** 11 JUL 2026 20:00 EST

A0858/26

+ CHANGE OF OPERATING MINIMA OCA(OCH) RWY 23 DUE TO MOBILE CRANE.
RNP LPV CAT A-D INCREASED TO: CAT A 245 (257), CAT B 257 (269), CAT C
265 (277) , CAT D 275 (287). REF AIP AD.2 EHLE 13 IAC RNP RWY 23.

FROM: 11 APR 2026 13:47 **TO:** 11 JUL 2026 20:00 EST

A0857/26

+ MOBILE CRANE BTN PSN 522654.4N 0053040.1E AND 522656.6N
0053044.1E, BTN 553M AND 655M BEYOND THR RWY 05 AND 235M RIGHT FROM
RCL. 160FT AMSL, MARKED AND LGTD.

FROM: 11 APR 2026 13:54 **TO:** 11 JUL 2026 20:00 EST

A0859/26

+ CHANGE OF OPERATING MINIMA OCA (OCH) RWY 05 LPV ACFT
CAT A INCREASED TO 265 (277)
CAT B INCREASED TO 277 (289)
CAT C INCREASED TO 285 (297)
CAT D INCREASED TO 296 (308)
REF AIP NETHERLANDS AD 2 EHLE IAC RNP RWY 05.

FROM: 07 MAY 2026 18:00 **TO:** 06 AUG 2026 23:59 EST

A1059/26

EHMZ - MIDDELBURG/MIDDEN-ZEELAND

No information received or matching the query

EHMM - MIDDENMEER/MIDDENMEER

No information received or matching the query

EHRD - ROTTERDAM/ROTTERDAM

+ RWY 24 SID ARNEM 3B
SERIAL NR 002 COLUMN ALTITUDE READ +500 INSTEAD OF -,
COLUMN SPEED READ - INSTEAD OF +500,

COLUMN VPA READ - INSTEAD OF -230.
SERIAL NR 003 COLUMN SPEED READ -230 INSTEAD OF -.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHRD AD 2.22 PARA 1.4.5.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0423/26

+ RWY 06 SID TULIP 4A (TULI4A)
SERIAL NR 001 COLUMN TURN READ R INSTEAD OF -.
SERIAL NR 003 COLUMN TURN READ L INSTEAD OF -.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHRD AD 2.22 PARA 1.4.4.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0426/26

+ RWY 06 SID SOME2A (SOME2A)
SERIAL NR 002 COLUMN TURN READ - INSTEAD OF R.
SERIAL NR 003 COLUMN TURN READ L INSTEAD OF -.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHRD AD 2.22 PARA 1.4.4.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0427/26

+ RWY 06 SID SOME2A, ARINC DESIGNATOR READ SOM2AY INSTEAD OF
SOME2AY.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0449/26

+ RWY06 SID TULIP 4A, ARINC DESIGNATOR READ TUL4AY INSTEAD OF
TULI4AY.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0450/26

+ RWY 24 SID INKET 2B, ARINC DESIGNATOR READ INK2BY INSTEAD OF
INKE2BY.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0451/26

+ RWY 24 SID NEPTU 2B, ARINC DESIGNATOR READ NEP2BY INSTEAD OF
NEPT2BY.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0452/26

+ RWY 24 SID SOME2B, ARINC DESIGNATOR READ SOM2BY INSTEAD OF
SOME2BY.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0453/26

+ RWY 24 SID TULIP 3B, ARINC DESIGNATOR READ TUL3BY INSTEAD OF
TULI3BY.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0454/26

+ RWY 24 SID WOODY 2B, ARINC DESIGNATOR READ WOO2BY INSTEAD OF
WOOD2BY.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0455/26

+ RWY 24 SID ANDIK 2B, ARINC 3B, LUNIX 2B SERIAL NR 004 COLUMN TURN
READ - INSTEAD OF R.
REF AIP AIRAC AMDT 03/2026 WEF 19 MAR, EHRD AD 2.22 PARA 1.4.5.
FROM: 19 MAR 2026 00:00 **TO:** PERM A0473/26

+ INCREASED BIRD ACTIVITY ON AND AROUND AD. AN INCREASED POTENTIAL
FOR BIRD STRIKES EXISTS FOR ALL INBD AND OUBD ACFT.
FROM: 19 MAR 2026 09:23 **TO:** 18 JUN 2026 23:00 EST A0687/26

+ CRANE ERECTED AT PSN 515828.9N 0042636.9E
TRUE BEARING FROM ARP 10DEG AND DISTANCE 2050M.
165FT AMSL, MARKED AND LGTD, OCA/H NOT AFFECTED.
FROM: 22 APR 2026 04:30 **TO:** 05 JUN 2026 17:30 A0923/26
SCHEDULE: 25 0430-1730, MON-FRI 0430-1730

+ PILOTS MAY OBSERVE GLARE CAUSED BY SOLAR PANELS LOCATED APRX 1.3NM
EASTNORTHEAST OF THR 24.
FROM: 24 APR 2026 05:57 **TO:** 03 JUN 2026 12:00 EST A0945/26

+ PILOTS MAY OBSERVE GLARE CAUSED BY SOLAR PANELS LOCATED APRX 0.5NM
WEST OF THR 06.
FROM: 24 APR 2026 06:02 **TO:** 03 JUN 2026 12:00 EST A0946/26

+ DURING APPROACH TO RWY 24 PILOTS MAY OBSERVE GLARE CAUSED BY SOLAR
PANELS LOCATED APRX 0.4NM NORTHEAST OF THR 24.
FROM: 24 APR 2026 06:07 **TO:** 03 JUN 2026 12:00 EST A0947/26

EHST - STADSKANAAL

+ NO FIREFIGHTING AVBL.
REF AIP NETHERLANDS EHST AD 2.6.
FROM: 03 MAR 2026 15:44 **TO:** PERM

A0575/26

EHOW - OOSTWOLD/OOSTWOLD

+ JET-A1 PUMP U/S.
FROM: 13 MAY 2026 15:15 **TO:** 15 MAY 2026 16:00

B0620/26

EHTX - TEXEL/TEXEL

No information received or matching the query

END OF PIB

Briefing includes all NOTAM available. All Trigger NOTAM are valid only for two weeks. For the publication of ECAC States, please consult also the PAMS application.